



OUTDOOR POWER EQUIPMENT



SCAN
TO VIEW
OUR
OPE
RANGE

M18 FUEL™

DRIVEN TO OUTPERFORM.™

MILWAUKEE® is committed to driving unrivaled performance and productivity to Outdoor Power Equipment professionals through groundbreaking developments in battery-powered technology, motors and electronics. From our roots in the MEP trades, and now with the landscape professional, we are dedicated to provide innovative, trade focused solutions with reduced emissions and less noise.


BEST CUT QUALITY

FULL THROTTLE UNDER
1 SECOND

MAX
TORQUE
FOR DEMANDING
MOWING APPLICATIONS



1 POWERSTATE™ BRUSHLESS MOTOR



2 REDLINK PLUS™ INTELLIGENCE



3 REDLITHIUM™ BATTERY

**M18 REDLITHIUM™
FORGE™**

**MOST POWER
FASTEST CHARGING
LONGEST LIFE**





PORTABLE PRODUCTIVITY.
TRADE FOCUSED.
SYSTEM WIDE.



SEE THE FULL
RANGE ONLINE



ONE
SYSTEM **115** **SOLUTIONS**



PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.



SEE THE FULL
RANGE ONLINE



ONE
SYSTEM **290** **SOLUTIONS**



OVER **290** **M18** **TOOLS**

ZERO
EMISSIONS

LEADING THE CHARGE

Focused on matching petrol equipment, MILWAUKEE® delivers the performance professionals users expect, while eliminating the environmental impacts associated with emissions, noise, vibrations and tool maintenance and the risk of spilling hazardous liquid.

**ZERO EMISSIONS.*
ZERO COMPROMISE.**

**ENSURING OUR USERS CAN WORK SAFELY,
SUSTAINABLY, AND PRODUCTIVELY.**

**THE EU AIMS TO BE
CLIMATE-NEUTRAL
BY 2050****



**PETROL
EQUIVALENT
PERFORMANCE**



**LOW
NOISE**



**NO PETROL
OR EMISSIONS**



**LESS
DOWNTIME**



**ENHANCE
JOBSITE SAFETY**



**INCREASED
PRODUCTIVITY**

M18 F2LM46-0 | Article Number 4933492010 (Also available as a kit version)

M18 FUEL

M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM

FEATURES:

- 46 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Compact deck design for more maneuverability in tight access areas
- 3-in-1 grass management system to mulch, 60 litre bag, or rear side discharge chute
- High Lift Mode allows to toggle between continuous outstanding peak power for best cut quality and automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.5 km/h cutting speed
- Active speed management paddle delivers ultimate user control
- Runs on 2 x 18V batteries for outstanding power and performance

Decksize (cm)	46
Blade speed (rpm)	3,800
Drive mechanism	Self propelled
Cutting height [mm]	25 - 100
Self-propelled speed (km/h)	0 - 6.5
Weight with battery pack (EPTA) (kg)	34.7 (2 x M18 HB8)



HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 F2LM53-0 | Article Number 4933479584 (Also available as a kit version)

M18 FUEL

M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

FEATURES:

- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.4 km/h cutting speed
- Active speed management paddle delivers ultimate user control
- Runs on 2 x 18V batteries for outstanding power and performance

Decksize (cm)	53
Blade speed (rpm)	3,300
Drive mechanism	Self propelled
Cutting height [mm]	25 - 100
Self-propelled speed (km/h)	0.16 - 6.4
Weight with battery pack (EPTA) (kg)	38.5 (2 x M18 HB12)



HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FBCU-0 | Article Number 4933492297 (Also available as a kit version)

M18 FUEL

M18 FUEL™ BRUSH CUTTER

FEATURES:

- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35 - 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design to take on more demanding applications
- Two speed modes allow the user to choose between maximum performance or extended run time
- Great ergonomics from the bike handle design and double shoulder harness allowing for more user comfort
- Optimised guard design for the best material containment
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Cutting path width blade (cm)	23
Cutting path width (string head) (cm)	40
Handle type	Bike handle
Weight with battery pack (EPTA) (kg)	6.5 (M18 HB12)


REDLITHIUM™
HIGH OUTPUT™ BATTERY TECHNOLOGY

M18 BLLT-0 | Article Number 4933472218

M18

M18™ BRUSHLESS GRASS TRIMMER

FEATURES:

- The M18™ brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm – 40 cm
- Up to 1 hour of run time with M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- Easy load trimmer head and adjustable auxiliary handle for optimum user comfort and control
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Cutting line diameter (mm)	2.4
Cutting path width (cm)	40
Weight with battery pack (EPTA) (kg)	5.3 (M18 HB8)


REDLITHIUM™

M18 FHET60-0 | Article Number 4933493290 (Also available as a kit version)

M18 FUEL

M18 FUEL™ HEDGE TRIMMER 60 CM

FEATURES:

- Double sharpened blade for clean cuts and removal of thicker material
- Power to cut 20 mm branches
- 60 cm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load



Blade length (cm)	60
Cutting capacity (mm)	20
Tooth spacing (mm)	20
Stroke rate (spm)	3400
Weight with battery pack (EPTA) (kg)	5.2 (M18 HB8)



M18 FHET45-0 | Article Number 4933493293 (Also available as a kit version)

M18 FUEL

M18 FUEL™ HEDGE TRIMMER 45 CM

FEATURES:

- Double sharpened blade for clean cuts and removal of thicker material
- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- All-metal gear case fully encloses and completely protects the gear drive system from jobsite abuse
- Blade tip guard to protect the blades and prevent accidental damage of fences or other objects



Blade length (cm)	45
Cutting capacity (mm)	19
Tooth spacing (mm)	20
Stroke rate (spm)	3400
Weight with battery pack (EPTA) (kg)	5.0 (M18 HB8)



M12 FHT20-0 | Article Number 4933479675 (Also available as a kit version)

M12 FUEL

M12 FUEL™ HEDGE TRIMMER 20 CM

FEATURES:

- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions
- Blade tip guard to protect the blades and prevent accidental damage of other objects



Blade length (cm)	20
Cutting capacity (mm)	12.5
Tooth spacing (mm)	14
Stroke rate (spm)	2700
Weight with battery pack (EPTA) (kg)	1.7 (M12 B6)



M18 FCHS-0 | Article Number 4933464723 (Also available as a kit version)

M18 FUEL

M18 FUEL™ CHAINSAW WITH 40 CM BAR

FEATURES:

- The M18 FUEL™ chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries



Chain bar length (cm)	40
Chain speed (m/s)	12.4
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)


HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FCHS35-0 | Article Number 4933479678 (Also available as a kit version)

M18 FUEL

M18 FUEL™ CHAINSAW WITH 35 CM BAR

FEATURES:

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries
- It cuts up to 150 pieces of 100 mm x 100 mm pine on a full charge of an M18™ HIGH OUTPUT™ 12.0 Ah battery



Chain bar length (cm)	35
Chain speed (m/s)	12.4
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)


HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FCHSC-0 | Article Number 4933471441 (Also available as a kit version)

M18 FUEL

M18 FUEL™ CHAINSAW WITH 30 CM BAR

FEATURES:

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- Provides extremely high work per charge the saw will cut 150 pieces of 100 mm x 100 mm pine on one full charge of a 12.0 Ah battery
- Supplied with 80cc of oil, chain tool and bar cover



Chain bar length (cm)	30
Chain speed (m/s)	12.4
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)


HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FTHCHS30-0 | Article Number 4933479586 (Also available as a kit version)

M18 FUEL

M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR

FEATURES:

- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity
- Top handle design and optimised balance perfectly suited for arboricultural work



Chain bar length (cm)	30
Chain speed (m/s)	15
Chain pitch (mm/")	8.3/ .325"
Chain gauge (mm/")	1.1/ 0.043"
Weight with battery pack (EPTA) (kg)	4.7 (M18 HB8)



M18 FTHCHS35-0 | Article Number 4933479588 (Also available as a kit version)

M18 FUEL

M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR

FEATURES:

- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity
- Top handle design and optimised balance perfectly suited for arboricultural work



Chain bar length (cm)	35
Chain speed (m/s)	15
Chain pitch (mm/")	8.3/ .325"
Chain gauge (mm/")	1.1/ 0.043"
Weight with battery pack (EPTA) (kg)	4.7 (M18 HB8)



M18 FHS20-0 | Article Number 4933480117 (Also available as a kit version)

M18 FUEL

M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

FEATURES:

- M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas
- Up to 180 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 5.5 Ah battery charge for outstanding productivity
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Chain bar length (cm)	20
Chain speed (m/s)	5.0
Chain pitch (mm/")	9.5 / 3/8"
Chain gauge (mm/")	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	3.1 (M18 HB5.5)



M18 FTPS30-0 | Article Number 4933480868 (Also available as a kit version)

M18 FUEL

M18 FUEL™ TELESCOPING POLE SAW 30 CM

FEATURES:

- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
- Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm
- Up to 70 cuts in 150 mm x 150 mm hardwood on one full charge of a 12.0 Ah battery pack
- Developed to achieve precise cuts in higher tree areas with perfect balance and design

Chain bar length (cm)	30
Chain speed (m/s)	25.4
Chain pitch (mm/°)	8.3/ .325
Chain gauge (mm/°)	1.1/ 0.043
Weight with battery pack (EPTA) (kg)	8.3 (M18 HB12)


HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M12 FHS-0 | Article Number 4933472211 (Also available as a kit version)

M12 FUEL

M12 FUEL™ HATCHET™ PRUNING SAW

FEATURES:

- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Weighing 2.3 kg and featuring a compact design, the cordless pruning saw gives you increased control and manoeuvrability in tight access areas
- Easy access chain tensioner ensures quick adjustment to chain tension
- Translucent oil reservoir allows for clear visibility to oil levels
- Variable speed trigger gives the user full control over the power range
- All metal bucking spikes allow for increased leverage during applications

Chain bar length (cm)	15
Chain speed (m/s)	5
Chain pitch (mm)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	2.3 (M12 B6)


REDLITHIUM™

M18 BLTS-0 | Article Number 4933480865 (Also available as a kit version)



M18™ BRUSHLESS TELESCOPIC SHEAR

FEATURES:

- Power to cut up to 4.4 cm branches
- Telescopic function over easy-to-use collar allows to expand from 2.1 up to 3 metres for versatile applications
- Up to 2000 cuts in 2.5 cm softwood branches with an M18 HB5.5 HIGH OUTPUT™ battery pack
- Outer shaft jacket for increased control & optimum grip
- Retractable branch hook allows the user to keep a compressed profile for better access or to pull down branches that become stuck
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Length (m)	2.1 - 3.0
Telescopic	Yes
Max. cutting capacity (full) (mm)	44
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB5.5)
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB5.5)



REDLITHIUM™

M12 BLPRS-0 | Article Number 4933480114 (Also available as a kit version)



M12™ BRUSHLESS PRUNING SHEARS

FEATURES:

- Power to cut branches up to 32 mm
- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed
- Over 1,000 cuts in 1.25 cm material with a M12 B2 battery pack
- Wrist strap and wrist strap attachment point included for better handling of the tool

Max. cutting capacity (full) (mm)	32
Max. cutting capacity (half) (mm)	16
Battery type	Li-ion
Blade material	SK5 Steel
Weight with battery pack (EPTA) (kg)	1.5 (M12 B2)



REDLITHIUM™

M18 F2BPB-0 | Article Number 4933493212 (Also available as a kit version)

M18 FUEL

M18 FUEL™ DUAL BATTERY BACKPACK BLOWER



FEATURES:

- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge
- 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris
- Optimised balance and ergonomics with a 3-mode select, variable speed lever, tool-free handle adjustment and telescoping adjustable nozzle
- Achieves full throttle in under 1 second
- Easy to transport thanks to hook for vertical nozzle storage and carry handle
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- The DNA of our FUEL™ platform redefines the balance of cordless technologies. MILWAUKEE®'s POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ electronic intelligence delivering outstanding power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Air speed (km/h)	0 - 250
Air volume (m³/min)	0 - 18.5
Clearing force (N)	20.5
Cruise control	Yes
Weight with battery pack (EPTA) (kg)	11.4 (2x M18 HB12)

M18 F2BL-0 | Article Number 4933479987 (Also available as a kit version)

M18 FUEL

M18 FUEL™ DUAL BATTERY BLOWER

FEATURES:

- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- Achieves full throttle in under 1 second



Air speed (km/h)	0 - 233
Air volume (m³/min)	0 - 17
Clearing force (N)	17.7
Weight with battery pack (EPTA) (kg)	5.9 (M18 HB8)



M18 FBL-0 | Article Number 4933459825

M18 FUEL

M18 FUEL™ BLOWER

FEATURES:

- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Ergonomic inline design clears debris and dirt in tight spaces
- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Lock-on switch



Air speed (km/h)	193
Air volume (m³/min)	12.7
Clearing force (N)	11
Weight with battery pack (EPTA) (kg)	3.3 (M18 HB8)



M18 FBLG3-0 | Article Number 4933493301 (Also available as a kit version)

M18 FUEL

M18 FUEL™ BLOWER

FEATURES:

- Up to 14.2 m³/min of air volume at 193 km/h to clear debris
- Consistent 12.2 N throughout the entire battery discharge
- Reaches full throttle in under 0.6 seconds
- Ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications and optimum runtime
- Interchangeable nozzle attachments to optimize the blowing pattern for various applications
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Air speed (km/h)	193
Air volume (m³/min)	14.2
Clearing force (N)	12.2
Weight with battery pack (EPTA) (kg)	3.5 (M18 HB8)



M18 FOPH-0 | Article Number 4933464954

M18 FUEL

M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

FEATURES:

- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications
- Full throttle in under 1 second
- 2-speed with variable speed trigger
- Adjustable auxiliary handle, strap and carrying ring help set the tool up for the optimum user comfort and control
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Voltage (V)	18
No load speed gear 1 (rpm)	0 - 6860
No load speed gear 2 (rpm)	0 - 8680
Weight with battery pack (EPTA) (kg)	4.1 (M18 HB8)



REDLITHIUM™

M18 FOPH-RA | Article Number 4932492669

M18

QUIK-LOK™ RECIPROCATOR ATTACHMENT

FEATURES:

- Achieves precision and versatility, allowing to safely trim around obstacles, create perfect edges without debris, and effortlessly clear light brush and shrubs
- Two counter rotating blades, preventing the whirling up of objects and ensuring safe operation in confined spaces and near vehicles
- 23 cm cutting width optimises the working process, enabling efficient and precise trimming
- Specifically designed for weed removal on gravel and paved surfaces
- With a compact toe kick guard integrated, our reciprocator prioritises user protection
- A protective storage cover, providing added protection and ease of storage and transportation for the tool
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Blade diameter (mm)	230
Cutting capacity (mm)	13
Stroke rate (spm)	2480
Weight (without battery) (kg)	2.4



REDLITHIUM™

M18 FOPH-BCA | Article Number 4932479986



QUIK-LOK™ BRUSH CUTTER ATTACHMENT

FEATURES:

- Designed to clear tall grass, weeds, thick brush and saplings up to 3 cm diameter
- 4-tooth blade with 23 cm diameter to cut overgrown areas
- Optimized blade shield design for better material containment
- Full throttle in under 1 second
- Protected drive shaft for increased durability against drops
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Blade diameter (mm)	230
Length (cm)	103
No load speed gear 1 (rpm)	4900
No load speed gear 2 (rpm)	6200
Weight (kg)	1.6



REDLITHIUM™

M18 FOPH-LTA | Article Number 4932464955



QUIK-LOK™ GRASS TRIMMER ATTACHMENT

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Has the capability to clear thick brush
- 38.6 cm cutting path width
- Easy load trimmer head with bump feed holds 7.6 m of 2.0 mm trimmer line or 6.1 m of 2.4 mm trimmer line
- Designed to meet landscape maintenance professional needs
- Extreme wear resistance delivering longer life



Max. cutting capacity (mm)	400
Cutting line diameter (mm)	2.0 / 2.4
No load speed gear 1 (rpm)	0 - 4900
No load speed gear 2 (rpm)	0 - 6200
Length (cm)	102
Weight without battery pack (kg)	1.7



REDLITHIUM™

M18 FOPH-CSA | Article Number 4932464957



QUIK-LOK™ CHAINSAW ATTACHMENT

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Perfect for cutting down overhead limbs or branches
- 254 mm bar with automatic chain oiling
- Side access chain tensioner for easy chain adjustment
- Branch extracting hook, ideal for leverage and pulling cut branches out of the way
- Up to 150 cuts with a M18™ 8.0 Ah battery
- Suitable for use with 91 cm extension attachment for maximum reach



Chain bar length (cm)	25.4
Chain speed (m/s)	8.6
Chain oil tank capacity (ml)	140
Chain pitch (mm)"	9.5 / 3/8"
Chain gauge (mm/)"	1.1 / 0.043"
Usable cutting length (mm)	230
Weight without battery pack (kg)	1.9



REDLITHIUM™

M18 FOPH-HTA | Article Number 4932464959

M18 FUEL

QUIK-LOK™ HEDGE TRIMMER ATTACHMENT

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Capable of cutting branches and limbs up to 25 mm in diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Articulating head offers 12 positions from 0° to 270° for the most comfortable user sculpting angles and easy trimming the top of tall hedges
- Blade tip guard protects blades from contact with hard objects such as fencing
- Blade cover fully encloses the blade set for storage and transportation purposes

Blade length (mm)	508
Cutting capacity (mm)	25
Stroke rate (spm)	0 - 3500
Tooth spacing (mm)	25
Length (cm)	152.4
Weight without battery pack (kg)	2.6


REDLITHIUM™

M18 FOPH-SHTA | Article Number 4932492666

M18

QUIK-LOK™ SHORT HEDGE TRIMMER ATTACHMENT

FEATURES:

- Capable of cutting branches and limbs up to 19 mm diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Blade tip guard protects blades from contact with hard objects such as fencing
- Blade cover fully encloses the blade set for storage and transportation purposes
- Short length makes it perfectly suitable for topiary of high and wide hedges
- Straight shaft makes the tool more robust and the low weight more comfortable for the user

Blade length (mm)	508
Cutting capacity (mm)	19
Stroke rate (spm)	0-3500
Weight (without battery) (kg)	2.0


REDLITHIUM™

M18 FOPH-EXA | Article Number 4932464960

M18 FUEL

QUIK-LOK™ EXTENSION ATTACHMENT

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Easily adds an additional 91 cm reach to MILWAUKEE® outdoor power head chainsaw and hedge trimmer attachments making the tool much safer to use without the need for a ladder

Length (cm)	103
Weight without battery pack (kg)	0.9


REDLITHIUM™

M18 FOPH-BBA | Article Number 4932479985



QUIK-LOK™ BRISTLE BRUSH ATTACHMENT

FEATURES:

- Clearing wet leaves, pebbles, dirt, sand, mulch and other debris off hard surfaces like sidewalks, paths, driveways or patios
- Efficiently cleans between cracks in sidewalk or pavement
- Counter-rotation of the drum throwing material in front and away from the operator
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust bristle brushes ensure a longer lifetime
- Optimised guard design for best material containment
- Maintenance of synthetic grass
- Full throttle in under 1 second
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Cleaning width [cm]	58
Diameter (mm)	254
Length (cm)	122
Weight (kg)	6.5



M18 FOPH-RBA | Article Number 4932479984



QUIK-LOK™ RUBBER BROOM ATTACHMENT

FEATURES:

- Clearing stones, leaves, dirt, mulch and other debris off grassy areas and hard surfaces like sidewalks, paths, driveways or patios
- Ability to move standing water or snow up to a height of 7.5 cm
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust rubber paddles ensure a longer lifetime
- Optimised guard design for best material containment
- Counter-rotation of the drum throwing material in front and away from the operator
- Full throttle in under 1 second
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Cleaning width [cm]	58
Diameter (mm)	267
Length (cm)	122
Weight (kg)	7.3



M18 FOPH-CA | Article Number 4932492667

M18

QUIK-LOK™ CULTIVATOR ATTACHMENT

FEATURES:

- Versatile attachment for bed-related tasks, including breaking up surfaces, preparing soil, and rejuvenating beds for optimal planting conditions
- Easy maneuverability in confined areas, thanks to its narrow working width of 22 cm
- Effortlessly rake up soil with the cultivator tiller featuring 22 cm bolo tines, ensuring efficient soil cultivation with ease
- Optimised guard design provides enhanced material deflection
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



No load speed gear 1 (rpm)	0-150
No load speed gear 2 (rpm)	0-205
Weight (without battery) (kg)	4.3


REDLITHIUM™


M18 FOPH-EA | Article Number 4932464958

M18 FUEL

QUIK-LOK™ EDGER ATTACHMENT

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Designed to meet landscape maintenance professional needs
- Get the perfect lawn, sidewalk and path edges creating a sharp and manicured look
- Adjustable height and guide wheel help for best tool performance and control
- 20.3 cm blade offers long life and durability
- Up to 3900 RPM offers an efficient and nice clean cut



Blade diameter (mm)	203
Blade length (cm)	20.3
Max. cutting capacity (mm)	50
No load speed (rpm)	0 - 3000/ 0 - 3900
Weight without battery pack (kg)	2.4


REDLITHIUM™

M18 FOPH-BA | Article Number 4932492668

M18

QUIK-LOK™ BLOWER ATTACHMENT

FEATURES:

- Up to 14.2 m³/min of air volume at 193 km/h for efficient clearing of leaves, gravel, and debris
- Cleans tight corners and other hard-to-reach areas effectively
- Reaches under overhangs or other objects to clear materials
- Compatible with both flat and tapered nozzle attachments
- Achieves full throttle in under 1 second for immediate power delivery
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Air speed (km/h)	0 - 193
Clearing force (N)	12.2
Weight (without battery) (kg)	2.1


REDLITHIUM™

M18 BPPFH-0 | Article Number 4933464961 (Also available as a kit version)



M18™ SWITCH TANK™ POWER BASE

FEATURES:

- The M18™ SWITCH TANK™ 15 l backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base
- Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership
- 120 PSI (8.27 Bar) pump pressure
- Features adjustable pressure selection dial to best suit user requirements
- Up to 2 hours of run time (12 or more tanks) with 4.0 Ah battery pack



M18 BPPFH-WST | Article Number 4933464965

M18™ SWITCH TANK™ 15L WATER SUPPLY

FEATURES:

- Fully compatible with SWITCH TANK™
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank
- Replaceable hose with standard garden hose quick coupling and spray nozzle - attaches easily to concrete cutting and coring equipment. Also compatible with standard garden nozzle accessories
- Integrated strainer prevents debris from entering the tank
- 5-mode pressure adjustment knob
- UV resistant
- When equipped with an M18™ REDLITHIUM™ 4.0 Ah battery it provides up to 12 tanks of spraying per charge



M18 BPPFH-CST | Article Number 4933464964

M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER

FEATURES:

- Fully compatible with SWITCH TANK™
- Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank
- Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs
- Sprayer wand storage to save space and avoid damage during transport
- Integrated strainer prevents debris from entering the tank
- Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance



REDLITHIUM™

M12 BHCS3L-0 | Article Number 4933480781 (Also available as a kit version)



M12™ HANDHELD CHEMICAL SPRAYER 3.7 L

FEATURES:

- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers
- 5.5 bar maximum working pressure and 5.2 m vertical spray distance for increased performance
- Delivers up to 300 litres of spraying per charge with M12 B2 battery



Tank capacity (l)	3.7
Flow rate (l/min)	0.4 - 1.1
Speed settings	3
Spray distance (m)	5.2
Weight with battery pack (EPTA) (kg)	3.5 (M12 B6)



REDLITHIUM™

M18 FFUS-0C | Article Number 4933479834 (Also available as a kit version)

M18 FUEL

M18 FUEL™ FENCING UTILITY STAPLER

FEATURES:

- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Tool-free, quick and easy depth adjustment to assure staples are driven to the correct depth so as not to crush the wire
- Quick access hatch for easy clearing of jammed staples
- Dry-Fire lockout stops the tool being fired when there are no staples left in the magazine



Magazine capacity	45
Staple strip	20
Staple strip length (mm)	38 - 51
Staple strip width (mm)	10.3
Weight with battery pack (EPTA) (kg)	5.0 (M18 HB3)


REDLITHIUM™

M18 GG-0 | Article Number 4933440493 (Also available as a kit version)

M18

M18™ GREASE GUN

FEATURES:

- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.9 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage, shoulder strap loop & LED fuel gauge - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable



Pressure (bar)	690
Weight with battery pack (EPTA) (kg)	3.9 (M18 B2)


REDLITHIUM™

M12 GG-0 | Article Number 4933440435 (Also available as a kit version)

M12

M12™ SUB COMPACT GREASE GUN

FEATURES:

- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage & shoulder strap loop - added user convenience and reducing down time



Pressure (bar)	562
Weight with battery pack (EPTA) (kg)	3.2 (M12 B4)


REDLITHIUM™

M18 FCOS230-0 | Article Number 4933471696 (Also available as a kit version)

M18 FUEL

M18 FUEL™ CUT OFF SAW

FEATURES:

- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions
- Features RAPIDSTOP™ blade brake and load indicator light, as well as lowest vibrations at 1.81 m/s²
- 85 mm cutting depth for class leading performance



Blade diameter (mm)	230
Max. cutting depth (mm)	85
No load speed (rpm)	6600
Weight with battery pack (EPTA) (kg)	6.2 (M18 HB12)



M18 FAC-0 | Article Number 4933472166 (Also available as a kit version)

M18 FUEL

M18 FUEL™ AIR COMPRESSOR

FEATURES:

- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite
- 14 kg in weight and equipped with two carry handles allows the compressor to be easily transport to and from the jobsite
- Excellent productivity with a run time of 1600 18G brad nails on a M18™ 12.0 Ah battery



Airflow (l/min)	48
Max. pressure (bar / PSI)	9.31/ 135
Tank capacity (l)	7.6
Weight with battery pack (EPTA) (kg)	15.7 (M18 HB12)



M18 BI-0 | Article Number 4933478706 (Also available as a kit version)

M18

M18™ INFLATOR

FEATURES:

- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18™ 5.0 battery
- 10.3 max bar capacity
- Auto pressure check feature activates to ensure bar target is achieved
- Automatic shut-off at selected bar prevents over inflation



Hose length (mm)	920
Max. pressure (bar / PSI)	10.3/ 150
No load air delivery (l/min)	40
Weight with battery pack (EPTA) (kg)	4.8 (M18 HB12)



Article Number 4932492533

M18™ FORGE™ 6.0 AH BATTERY



Article Number 4932464260

M18™ HIGH OUTPUT™ 12.0 AH BATTERY



Article Number 4932471070

M18™ HIGH OUTPUT™ 8.0 AH BATTERY



Article Number 4932464712

M18™ HIGH OUTPUT™ 5.5 AH BATTERY



Article Number 4932471069

M18™ HIGH OUTPUT™ 3.0 AH BATTERY



Article Number 4932430483

M18™ 5.0 AH BATTERY



Article Number 4932430063

M18™ 4.0 AH BATTERY



Article Number 4932430062

M18™ 2.0 AH BATTERY



Article Number 4932480165

M12™ 5.0 AH HIGH OUTPUT™ BATTERY



Article Number 4932451395

M12™ 6.0 AH BATTERY



Article Number 4932430065

M12™ 4.0 AH BATTERY



Article Number 4932451388

**M12™ 3.0 AH
BATTERY**



Article Number 4932430064

**M12™ 2.0 AH
BATTERY**



Article Number 4932492531

**M18 FUEL™ DUAL
BAY SUPER
CHARGER**



Article Number 4932472073

**M18™ DUAL BAY
RAPID CHARGER**



Article Number 4932451079

**M12™ - M18™ FAST
CHARGER**



Article Number 4932352000

M12™ CHARGER



Article Number 4932430554

**M12™ 4 BAY
CHARGER**



Article Number 4932352959

**M12™ - M18™
CHARGER**



Article Number 4932430086

**M14™ - M18™
MULTIBAY
CHARGER**



**VIEW OUR
BATTERIES &
CHARGERS
HERE**





MILWAUKEE® ACCESSORIES

Article Number 4932492430

HOLSTER M12 BLPRS



Article Number 4932492418

SHOULDER STRAP M18 F2BL



Article Number 4932479819

HIGH PERFORMANCE MOWER BLADE 21" 53 CM



Article Number 4932492106

MOWER BLADE 18" 46 CM



Article Number 4932492107

HIGH PERFORMANCE MOWER BLADE 18" 46 CM



Article Number 4932479818

MOWER BLADE 21" 53 CM



Article Number 4932479821

LAWN MOWER COVER 21" 53 CM



Article Number 4932480180

EASY LOAD TRIMMER HEAD GEN II



Article Number 4932481041

BRUSH CUTTER REPLACEMENT BLADE 4-TOOTH



Article Number 4932471330

EDGER BLADE 20CM - M18 FOPH



Article Number 4932492431

REP BLADE M12 BLPRS



Article Number 49162712

2 MM X 45 M TRIMMER LINE



Article Number 49162713

2.4 MM X 76 M TRIMMER LINE



Article Number 4932493811

CHAINSAW BAG HATCHET M12 & M18



Article Number 4932493810

CHAINSAW BAG M18 REAR HANDLE



Article Number 4932464873

**40 CM/ 16" SAW
CHAIN 3/8" X
1.1 M18 FCHS**



Article Number 4932479820

**35 CM/ 14" SAW
CHAIN 3/8" X
1.1 M18 FCHS35**



Article Number 4932471385

**30 CM/ 12" SAW
CHAIN 3/8" X 1.1 M18
FCHSC**



Article Number 4932471329

**25 CM/ 10" SAW
CHAIN 3/8" X 1.1 M18
FOPH-CSA**



Article Number 4932480176

**20 CM/ 8" SAW
CHAIN 3/8" X 1.1 M18
FHS**



Article Number 4932478427

**15 CM/ 6" SAW
CHAIN 3/8" X
1.1 M12 FHS**



Article Number 4932480178

**35 CM/ 14" SAW
CHAIN 0.325"
X 1.1 M18
FTHCHS35**



Article Number 4932480177

**30 CM/ 12" SAW
CHAIN 0.325"
X 1.1 M18
FTHCHS30**



Article Number 4932480174

**40 CM/ 16" GUIDE BAR
M18 FCHS**



Article Number 4932480173

**GUIDE BAR
14" / 35 CM**



Article Number 4932480172

**35 CM/ 14" GUIDE BAR M18
FTHCHS35**



Article Number 4932480171

**30 CM/ 12" GUIDE BAR M18
FTHCHS30**



Article Number 4932492849

**DOUBLE SHOULDER
HARNESS FOR
BRUSH CUTTERS**



Article Number 4932480170

**25 CM/ 10" GUIDE BAR M18
FOPH-CSA**



Article Number 4932480169

**20 CM/ 8" GUIDE BAR
M18 FHS**



Article Number 4932480168

**15 CM/ 6" GUIDE BAR
M12 FHS**



BOLT™ 100

NEW
INDUSTRIAL
HARD HAT

COLOURS
AVAILABLE



UNIQUE
SIZE:
52-68 CM

ABS SHELL
LIGHTWEIGHT

**ELECTRICALLY
INSULATED**

For use on low voltage installations EN50365.
Nominal voltage up to 1000V AC and 1500V DC.

**PREMIUM
RATCHET**

BOLT™
ACCESSORIES

ATTACHMENTS

MULTI ACCESSORIES COMPATIBILITY



BOLT™ Visor
Universal Tinted
4932479942
Universal Clear
4932479941



BOLT™ Mesh Face
Shield Universal
4932479940



BOLT™ Face Shield
Universal Clear
4932479938
Universal Grey
4932479939



BOLT™ Low Profile
Headlamp Mount
4932493350



BOLT™ Headlamp
4933479902



NEW
BOLT™
Badge Holder
4932493510

COMFORT & FASHIONABLE FIT

- Extremely comfortable and easy to adjust wheel ratchet system.
- Comfortable inner foam material.
- Compact design to offer a perfect fit on the head.
- Washable and replaceable sweatband and crown line.

**SCAN TO
VIEW OUR
FULL RANGE**



BOLT™

200

WORKING AT JOBSITE HELMET

LEXAN SHELL

SUPERIOR IMPACT RESISTANCE

INNER FOAM TECHNOLOGY

Foam progressively stiffens when impacted: distributes pressure evenly across entire head when impacts, independent of impact location.

ADJUSTABLE CHIN STRAP

Across BOLT™ 100 and BOLT™ 200 products

COLOURS
AVAILABLE



UNIQUE
SIZE:
52-68 CM



BOLT 200™ ACCESSORIES COMPATIBILITY

Only BOLT™ 200 products



**BOLT™
Sunshade Yellow**
4932492101



**BOLT™ LP
Earmuffs**
4932478878



**BOLT™ HP
Earmuffs**
4932478877



**BOLT™ Visor
Compact Tinted**
4932479947
Compact Clear
4932479946



**BOLT™ Mesh Face
Shield Compact**
4932479945



**BOLT™ Face Shield
Compact Clear**
4932479943
Compact Grey
4932479944

BOLT™ 200 OPE Helmet | Article Number 4932493626

BOLT™ 200 OPE HELMET KIT

FEATURES:

- The BOLT™ 200 OPE kit includes vented helmet, hearing protection and mesh shield.
- BOLT™ 200 helmet shell made of Lexan™ - ultra resistant to impacts. Extremely comfortable and easy to adjust wheel ratchet adjustment system. Compliant with EN 397 & EN 12492, including extreme temperature -40°C, Lateral Deformation.
- BOLT™ Mesh Face shield made of steel for extended durability. Impact resistance rated F and compliant with EN1731.





Article Number 4932471881

**SAFETY
GLASSES
CLEAR**



Article Number 4932471882

**SAFETY
GLASSES
TINTED**



Article Number 4932471885

**PREMIUM
SAFETY
GLASSES
CLEAR**



Article Number 4932471886

**PREMIUM
SAFETY
GLASSES
POLARISED**



Article Number 4932478135

**BANDED EAR
PLUGS**



Article Number 4932471904

**REUSABLE
CORDED EAR
PLUGS**



SCAN HERE
TO VIEW OUR
FULL RANGE



Article Number 4933478979

**M12™ HEATED
CAMOUFLAGE
JACKET**



Article Number 4932471913

**HYBRID LEATHER
GLOVES - 9/L -
1PC**



Article Number 4932478124

**LEATHER GLOVES
- 9/L - 1PC**



Article Number 4932471417

**CUT A GLOVES -
9/L - 1PC**



Article Number 4932471890

HIGH-VISIBILITY VEST YELLOW - L/XL



Article Number 4932471896

PREMIUM HIGH-VISIBILITY VEST YELLOW - L/XL



Article Number 4932471893

HIGH-VISIBILITY VEST ORANGE - L/XL



Article Number 4932471899

PREMIUM HIGH-VISIBILITY VEST ORANGE - L/XL



Article Number 4932493005

WORK T-SHIRT SHORT SLEEVE - BLACK



Article Number 4932493020

WORK T-SHIRT SHORT SLEEVE - GREEN



Article Number 4932493080

WARM WEATHER LONG SLEEVE PERFORMANCE SHIRT - BLACK



Article Number 4933478196

WORKSKIN™ LIGHT WEIGHT PERFORMANCE SHORT SLEEVE SHIRT - GREY (L)



Article Number 4932480078

M12™ HEATED PUFFER VEST



Article Number 4932480102

M12™ HEATED VEST - GREY



L4 RLEPB-301 | Article Number 4933478750

USB RECHARGEABLE HEARING ASSIST EARPLUGS W/BLUETOOTH

- Jobsite Awareness provides controllable situational awareness, while reducing the intensity of loud external noises
- Digital Bluetooth connects devices up to 100 m and allows to listen to Music/Podcasts/Audiobooks/Media and accept/Talk On/Decline Phone calls
- European Certified hearing protectors: EN 352-2:2020 (SNR silicone ear plugs = 26 dB; SNR Foam ear plugs = 32 dB); EN 352-7:2020; EN 352-9:2020; and EN 352-10:2020)
- Designed for on-the-job use, passive hearing protection is provided by silicone and foam ear tips



REDLITHIUM™

RUN TIME DATA



APPLICATION		PRODUCT NAME	BATTERY					
			M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
CHAINSAWS								
LOG CUTTING CUTS IN 10CM PINE		M18 FCHS	38	40	50	75	100	150
		M18 FCHSC	38	40	50	75	100	150
		M18 FCHS35	38	40	50	75	100	150
LOG CUTTING CUTS IN 10CM CEDAR		M18 FHS20	90	120	150	180	240	360
		M18 FTHCHS30	56	75	93	112	150	225
		M18 FTHCHS35	56	75	93	112	150	225
POLE SAWS								
PRUNING CUTS IN 7.5CM OAK		M18 FOPH-CSA	62	65	82	123	166	247
GRASS TRIMMERS								
GRASS CUTTING HIGH MODE		M18 BLLT	13 min	14 min	17 min	26 min	35 min	53 min
		M18 FOPH-LTA	12 min	13 min	16 min	24 min	33 min	49 min
GRASS CUTTING LOW MODE <small>*measured under no load speed, simulates light grass trimming application</small>		M18 BLLT	26 min	28 min	35 min	54 min	70 min	105 min
		M18 FOPH-LTA	22 min	23 min	29 min	44 min	58 min	88 min
HEDGE TRIMMERS								
LIGHT TRIMMING <small>*measured under no load speed, simulates light hedge trimming application</small>		M18 CHT	52 min	56 min	70 min	105 min	140 min	211 min
		M18 FHT45	52 min	56 min	70 min	105 min	140 min	211 min
		M18 FOPH-HTA	26 min	28 min	35 min	52 min	70 min	105 min
BRUSH CUTTERS								
TRIMMING HIGH MODE <small>*No load run time with blade at full throttle (simulates light brush cutting)</small>		M18 FOPH-BCA	23 min	30 min	38 min	46 min	61 min	91 min
		M18 FBCU	12 min	13 min	16 min	24 min	33 min	49 min
TRIMMING LOW MODE <small>*measured under no load speed, simulates light grass trimming application</small>		M18 FBCU	22 min	23 min	29 min	44 min	58 min	88 min
BLOWERS								
TOUGH BLOWING HIGH MODE		M18 FBL	6 min	6 min	8 min	12 min	16 min	24 min
LIGHT BLOWING LOW MODE		M18 FBL	18 min	19 min	24 min	36 min	48 min	72 min


**SCAN TO VIEW OUR
OPE RANGE**



RUN TIME DATA

M12 M18

APPLICATION		PRODUCT NAME	BATTERY					
<div>M18</div>			M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
SPRAYERS								
CHEMICAL SPRAYER <div>*Number of tanks on speed one which is equivalent to light spraying</div> <div></div>	M18 BFPF-CST	9 tanks	12 tanks	15 tanks	18 tanks	24 tanks	36 tanks	
EDGERS								
LIGHT EDGING <div>HIGH MODE</div> <div></div>	M18 FOPH-EGA	40 min	42 min	53 min	80 min	106 min	160 min	
BRUSHES								
CLEANING <div>HIGH MODE</div> <div>*measured under load moving wood chips and dirt at full throttle</div> <div></div>	M18 FOPH-BBA	11 min	14 min	18 min	22 min	29 min	43 min	
CLEANING <div>HIGH MODE</div> <div>*measured under load moving wood chips and dirt at full throttle</div> <div></div>	M18 FOPH-RBA	9 min	12 min	15 min	18 min		25 min	37 min
<div>M18</div> DUAL BATTERY			M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
LAWN MOWER								
GRASS CUTTING <div>*removing 2.5 cm of grass at 4.8 km/h</div> <div></div>	M18 F2LM53	<div></div>				1000 m ²	1300 m ²	2000 m ²
BLOWER								
TOUGH BLOWING <div></div>	M18 F2BL	<div></div>				13	17	26
*Dual-battery run time based on two of the same battery, using batteries with different amp hour(Ah) capacities will provide the run time of the smaller battery.								
<div>M12</div>			M12 B2	M12 B3	M12 B4	M12 B6	M12 HB2.5	M12 HB5
HATCHET SAW								
LOG CUTTING <div>CUTS IN 5CM OAK</div> <div></div>	M12 FHS	60	90	120	180	86	172	
HEDGE TRIMMER								
LIGHT TRIMMING <div>*No load run time at full throttle (simulates light trimming application)</div> <div></div>	M12 FHT	25 min	37 min	50 min	75 min	36 min	72 min	
SPRAYER								
CHEMICAL SPRAYER <div>*first mode - spot spraying</div> <div></div>	M12 BHCS3L	300l	450l	600l	900l	431l	862l	


 = Run time data based on MILWAUKEE® testing conducted using the recommended battery

*Charge times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application. Test results conducted by MILWAUKEE® for recommended batteries are marked in white, all other battery capacities are calculated.


STAY UP TO DATE WITH MILWAUKEE®



**FOLLOW OUR
ESTONIAN
INSTAGRAM**
@milwaukeeetool.ee



GET THE LATEST
PRODUCT LAUNCHES,
NEWS AND CHANCES
TO WIN **STRAIGHT TO
YOUR INBOX**



VISIT OUR WEBSITE



YOUR GATEWAY
TO **EVERYTHING
YOU NEED** WHEN
IT COMES TO
MILWAUKEE®



VISIT **MILWAUKEETOOL.EE** TO FIND OUT MORE



Register online for your extended warranty:



Milwaukee Tool

v/ Techtronic Industries Nordic ApS
Stamholmen 147,1. • DK-2650 Hvidovre
Phone +358 800 109000

milwaukeeetool.ee