

# PLUMBING













### milwaukeetool.ee









### M12 PCSS-202C | ART.# 4933479242 (Also available as a 0-version ART.# 4933479241)

#### **M12** RAPTOR<sup>™</sup> PIPE CUTTER STAINLESS STEEL



#### **FEATURES:**

- The MILWAUKEE<sup>®</sup> RAPTOR<sup>™</sup> is the worlds first 12V pipe cutter that is able to cut installed pipe, stainless steel, c-steel and copper, from 12 up to 28 mm
- 380 rpm motor cuts 28 mm stainless steel pipe in less than 20 seconds
- Up to 90 cuts in 15 mm stainless steel with one M12<sup>TM</sup> 2.0 Ah battery
- Auto adjusting jaws automatically adjust to pipe size
- Able to cut stainless steel, c-steel and copper in 12 15 18 22 28 mm
- All metal sealed front end rust and corrosion resistant cut head and internal drainage system which make the tool water resistant.
- Viewing window at cutting mechanism and light, allow the user to precisely cut the pipe
- Cuts 40 mm from wall

#### C12 PC-0 | ART.# **4933411920**

#### M12 SUB COMPACT COPPAR PIPE CUTTER

#### FEATURES:

- High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds
- Auto locking cut mechanism cuts installed copper tubing with as little as 40 mm clearance
- Auto adjusting jaws automatically adjust to pipe size
- On board fuel gauge and LED light for illumination
- in low lit working conditions

#### C12 PPC-0 | ART.# **4933416550**

#### M12 SUB COMPACT PEX CUTTER

#### FEATURES:

- Massive cutting pressure of 175 kg/cm<sup>2</sup>
- Powerful mechanism cuts up to 50 mm
- PVC pipe in 3 seconds
- Variable speed trigger for complete cut out control
- Super sharp blade for blur free cuts
- On board fuel gauge and LED light for illumination in low lit working conditions













#MILWAUKEETOOLEESTI O MILWAUKEETOOL.EU





M12 HPT	M18 BLHPT	M18 ONEBLHPT	M18 BLHPTXL
M12™	M18™	M18™	M12™
No	No	Yes	No
19	32	32	32
35	108	108	108
40	110	110	110
4933478247	4933478248	4933478305	4933479440
	M12™ No 19 35 40	M12™ M18™   No No   19 32   35 108   40 110	M12™     M18™     M18™       No     No     Yes       19     32     32       35     108     108       40     110     110

## **PRESS JAW RANGE**

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
VSH: X-F Eurotu Raccorderie I Rubinetterie I Sanha: N	Geberit: Mapress VSH: X-Press	M12	12 -35
			12-108 (42-108 use ringadapter)
	Eurotubi Raccorderie Metallique Rubinetterie Bresciane		RJA-1 (adapter)
	Sanha: Nirosan Pegler Yorkshire	M18	RJAXL-1 (adapter)
			RJAXL-2 (adapter)
Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
V	Viega Comap IBP Sanha: Nirosan	M12	12 -35
			12-108 (42-108 use ringadapter)
		<u>M18</u>	RJA-1 (adapter)
			RJAV-2 (adapter)

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size	
ALB Comap Frankische Henco (nur TH14 - TH25 ) IPA Sanha Tiemme	<u>M12</u>	16-40		
		16-63 (40-63 use ringadapter)		
		<u>M18</u>	RJA-1 (adapter)	

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size	
	ALB Uponor: Unipipe, Airpipe M12 16-40		16-40	
Wavin: Press-Systeme Frankische: Alpex F50 Profi DW Verbundrohr	Alpex F50 ofi undrohr	16-63 (40-63 use ringadapter)		
	Multitubo IBP:>B <flex KE Kelit: Kelit Kelox Jupiter: Heizsystem</flex 	M18	RJA-1 (adapter)	

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
ACZ	Acome MT	<u>M12</u>	12 -25

Jaw profile	Fits to following pipe system suppliers	Tool suitability	Size
NEW	Geberit: Mepla & Mepla Therm	M12	16-40
G		M18	16-50





connecto

MXF DCD150-302C ART.# 4933464887 (Also available as a 0-version ART.# 4933478886 and as a kit version with MXF DR255 ART.# 4933471835)



#### FEATURES:

- Core with confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser edged speed and capacity markings into the metal body
- Integrated water line for wet coring that is compatible with the M18™ SWITCH TANK™ interchangeable sprayer



#### M18 BTP-0 | ART.# 4933471494

#### M18 COMPACT TRANSFER PUMP

#### **FEATURES:**

- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 I of transferred water with one M18<sup>™</sup> 5.0 Ah battery charge
- The tool's flexible impeller and powerful motor generate a lift height up to 5.5 m and a head height up to 23 m
- To be used for water, clear of debris only



#### M12 BSWP-601 ART.# 4933479640 (Also available as a 0-version ART.# 4933479639)

#### **M12** HYDROPASS<sup>™</sup> BRUSHED STICK WATER PUMP

#### FEATURES:

- HYDROPASS<sup>™</sup> unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered
- 3/4<sup>‴</sup> BSPT thread outlet allows for connecting 19mm (inner diameter) hoses for maximum volume movement
- Submersible up to 85 cm, allows users to easily pump large puddles of water with a max head height of 4.5 m
- This pump is suitable for, white, grey and black water onlv



M18 FPT2-121C ART.# 4933478597 (Also available as a 0-version ART.# 4933478596)

#### M18 FUEL PIPE THREADER 2"





#### Control speed for optimal thread quality

#### FEATURES:

- World's first 18V 2" pipe threader on the market that is fully universal with competitive heads
- Unique to MILWAUKEE<sup>®</sup>, pipe threader with AUTO-STOP<sup>™</sup> kickback control provide the user with more safety
- Multi-speed selector: speed 1, 0 29 rpm, for 1-1/4" 2", and speed 2, 0 41 rpm, for 1/8" 1", for optimised thread quality across pipe sizes for faster threading and more productivity
- Directly compatible with Ridgid 12-R, with adapter kits MILWAUKEE® FPT2AK-RI for Ridgid 11-R, MILWAUKEE® FPT2AK-RE for Rems Quick Change and MILWAUKEE® FPT2AK-RO for Rothenberger SUPER CUT

PIPE THREADER ADAPTER KIT FOF **RIDGID 11R HEADS** ART.# 4932478838

THREADEE ADAPTER KIT FOR REM QUICK CHANGE HEADS ART.# 4932478839

#### MPS | ART.# 4933472022 **PIPE STAND**

#### FEATURES:

- The first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Removable shelf (MPS-RS) allows the user to easily install and remove the bottom material shelf as they like
- Different jaws for different materials available. MPS-SSJ for stainless steel and MPS-NCJ for soft materials, such as pvc. MPS-RJ, delivered standard with the tool, is a jaw for universal use







## M18 MODULAR PIPELINE

STEP 1 CHOOSE YOUR DESIRED REEL			PICK M18 SISH-0   AF M18 SEWE SMART HI
	M18 SIC36-0	M18 SIC60-0	
Camera cable length (m)	36	60	Save HD imag and video reco
Drain capacity (mm)	50 - 150	75 - 250	to M18 <sup>™</sup> 500 (
Cable diameter (mm)	9	11	smart hub
Camera head diameter (mm)	25	34	Maintain live v
No. of high intensity LEDs	12	20	when swappir
Backpack strap	Yes	No	M18 <sup>™</sup> REDLITI
Extendable handle	No	Yes	batteries
ART.#	4933471413	4933471412	



## **INSPECTION SYSTEM**



**USB-C & USB PORTS** 

Save directly to smart hub or USB stick

SCAN THE QR CODE AND DISCOVER

FEATURES:

Rotating screen: screen rotates 270 degrees

Optimised 68.6 mm LCD

■ 9 mm 640 x 480

digital image sensor

4 surround LED lights

M12 IC-201C ART.# 4933441680 (Also available as a 0-version ART.# 4933431615) M12 SUB COMPACT M-SPECTOR" 360° CAMERA



For easy transportation

M12 PL-201C | ART.# 4933478615 (Also available as a 0-version ART.# 4933471995)

#### **M12** PLUMBING LOCATOR

#### FEATURES:

- Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals
- First locator on the market on a 12V battery with 13 hours run time on a M12<sup>™</sup> 2.0Ah battery



0-

The sector

ONE TKEY

**FREE APP NOW!** 



#### **8" DAYLIGHT READABLE SCREEN**

Provides a crisp clear screen even when viewing outside

#### WATER & IMPACT **RESISTANT DISPLAY**

Protects against harsh environments

#### **BACKLIT BUTTONS** Provides better visibility

in low lit areas

M12 ICAV3-201C ART.# 4933451367

M12 DIGITAL INSPECTION CAMERA

#### FEATURES:

- Screen can be removed from console and works within 10 m
- 12 mm 320 x 240 digital image sensor
- 4 surround LED lights






# **DRAIN CLEANING**









#### WITH POWER FEED (SIZES - 8 OR 10 MM)

#### FEATURES:

First hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line.



### M72 HANDHELD **DRAIN CLEANERS**

SLIDE ACTION CABLE LOCK Lock and release cable

in one auick movemen

M12 BDC6 & 8-202C ART.# 4933451635 & 4933451633

#### M12 SUB COMPACT DRAIN CLEANER (SIZES - 6 OR 8 MM)

#### FEATURES:

- Lightest professional drain cleaner on the market
- Robust drum shield protects user & fixtures from spinning drum during use
- Easy removable inner drum helps to prevent spiral bind up and contains dirt inside the drum

PAGE 11





M18 FFSDC10 & 13 & 16-502 ART.# 4933459707 & 4933459708 & 4933459710 (Also available as 0-versions)

#### M18 FUEL FREE STANDING DRAIN CLEANER (SIZES - 10, 13 OR 16 MM)

#### **FEATURES:**

- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- The M18<sup>TM</sup> SWITCH PACK<sup>TM</sup> incorporates fully enclosed drums to eliminate free spinning parts, providing the user with more protection whilst working in and around fragile fixtures as well as better mess containment whilst unclogging drains

### M18 FSSM-121 | ART.# 4933471410 (Also available as a 0-version ART.# 4933471411)

#### M18 FUEL SECTIONAL SEWER MACHINE

#### FEATURES:

- First 18V sectional sewer machine with automatic feed and retract
- CABLE-DRIVE locking feed system maintains selected feed speed, and auto-adjusts to compatible cable sizes. 22 mm and 32 mm, for the best cable grip when feeding and working the clog



M18 FCSSM-121 ART.# 4933478407 (Also available as a 0-version ART.# 4933478408)

#### MBFUEL COMPACT SECTIONAL SEWER MACHINE

#### FEATURES:

- First 18V sectional sewer machine with automatic feed and retract
- Extremely light weight, 14 kg including M18<sup>™</sup> 12.0 Ah battery.
- Can be used in pipes from 32 mm up to 160 mm, maximum 46 m down the line





SCAN THE QR CODE AND EXPLORE THE ENTIRE RANGE OF ACCESSORIES FOR DRAIN CLEANING

M12 FPXP-I06202C ART.# 4933472021 (Also available as a 0-version ART.# 4933472018)

#### M12 FUEL UPONOR<sup>™</sup> Q&E PIPE EXPANDING TOOL



#### **FEATURES:**

- Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- Quick cam mechanism single pull, continuous action installs Q&E up to 7 seconds faster
- RAPID SEAL<sup>™</sup> heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Right angle design for easy installation of Q&E fittings in confined spaces

#### ALSO AVAILABLE IN THE M12 RANGE:



M18 FPXP-H10502C | ART.# 4933479437 (Also available as a 0-version ART.# 4933479436)

#### M18 FUEL UPONOR™ Q&E EXPANSION TOOL

#### **FEATURES:**

- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Compatible with all existing M12<sup>™</sup> and M18<sup>™</sup> expansion heads up to 50 mm
- Two speed settings: one for up to
- 32 mm and one for 40 mm and above
- On board LED light for illumination in low lit working conditions



C12 PXP-N202C | ART.# 4933441740 M12 SUB COMPACT UPONOR<sup>™</sup> Q&E **EXPANSION TOOL** 

INCLUDES: Connections 15 / 18 / 22 mm









**BASIN WRENCHES** 







adds working

HANDLE



#MILWAUKEETOOLEESTI O MILWAUKEETOOL.EU







**CHECK OUT OUR** RANGE OF HAND TOOLS, STORAGE, LIGHTING, PPE, WORKWEAR AND HEATED GEAR.







Visit www.milwaukeetool.ee to find out more



@milwaukeetooleesti



**Milwaukee Tool EU** 











